



1




| APPLICATION A 501 | APPLICATION | ON B <u>502</u> · · · AF | PPLICATION N 503 |
|-----------------------------------|------------------------------|---|----------------------------------|
| HOST COMPUTER <u>506</u> | SERVER ADMINISTRATION MODULE | | API <u>51'3</u> |
| | <u>500</u> | 512 <u>511</u> DATA STRUCTURES | API <u>514</u> API <u>515</u> |
| APPLICATION | \ | SHARE | API <u>529</u> |
| DATA FILES <u>504</u> | | ADMINISTRATION MODULE 528 <u>527</u> | API <u>530</u> |
| | | DATA STRUCTURES | API <u>531</u> |
| | | SESSION ADMINISTRATION | API <u>534</u> |
| OPERATING SYSTEM DATA FILES | | MODULE 533 <u>532</u> | API <u>535</u> |
| <u>505</u> | | DATA STRUCTURES | API <u>536</u> |
| SERVER CONFIGURATION FILE 507 | 510~ | SERVER INITIALIZA | TION MODULE |
| 508 | · | NSAM DATA STRUCTURES | |
| srvname = 'alpha'; | 542 | SERVER NAME TABLE | NetAPI_A |
| othsrvnames = ' '; | | ryServerName = 'alpha' <u>54</u> ondaryServerNameA <u>54</u> | |
| 509 | | ondaryServerNameB <u>54</u> | — |
| | Sec | ondaryServerNameN <u>54</u> | |
| | NETW | ORK SERVICES ADMINISTRA | |


FIG. 5





| APPLICATION A 501 | APPLICATI | ON B <u>502</u> · APF | PLICATION N 503 | |
|--|--|------------------------------------|---------------------|--|
| HOST COMPUTER <u>506</u> | SERVER <u>500</u> | USER ADMINISTRATION MODULE 512 511 | API <u>513</u> | |
| | | | API <u>514</u> | |
| | | DATA STRUCTURES | API <u>515</u> | |
| APPLICATION DATA FILES 504 | | SHARE ADMINISTRATION | API <u>529</u> | |
| | | MODULE 523 <u>527</u> | API <u>530</u> | |
| | | DATA STRUCTURES | API <u>531</u> | |
| | | SESSION ADMINISTRATION | API <u>534</u> | |
| OPERATING SYSTEM DATA FILES | | MODULE 533 <u>532</u> | API <u>535</u> | |
| 505 | | DATA STRUCTURES | API <u>536</u> | |
| SERVER CONFIGURATION FILE 507 | 510~ | SERVER INITIALIZAT | ION MODULE | |
| 508 | | NSAM DATA STRUCTURES | | |
| srvname = 'alpha'; | 542 | 751 SERVER NAME TABLE | NetAPI_A <u>539</u> | |
| othsrvnames = | PrimaryServerName = 'alpha' 543 NetAPI_B 540 | | | |
| 'thetaω'; | SecondaryServerNameA = 'theta' NetAPI_C | | | |
| | SecondaryServerNameB = 'omega' 541 | | | |
| | Sec | condaryServerNameN <u>546</u> | 552 538 | |
| | NETWOR | K SERVICES ADMINISTRATION | N MODULE <u>537</u> | |


FIG. 7




























FIG. 11























FIG. 18

